

WHAT IS CLAIMED IS:

1. A method for revitalizing a surface, comprising the steps of:
 - 5 cleaning the surface;
 - drying the surface;
 - applying a revitalizer to the surface; and
 - drying the surface such that the surface has an improved appearance.
2. The method of claim 1, wherein the revitalizer is a polymer coating.
 - 10 3. The method of claim 1, wherein the revitalizer is a clear coating.
 4. The method of claim 1, wherein the revitalizer is a clear, polymer coating.
- 15 5. The method of claim 1, wherein the surface is a plastic shutter.
6. The method of claim 1, wherein the surface is vinyl siding.
7. The method of claim 1, wherein the surface is a gutter.
- 20 8. The method of claim 1, further comprising the step of:
 - painting the surface prior to applying the revitalizer.

9. The method of claim 1, wherein the revitalizer improves the color of the surface.
10. The method of claim 9, wherein after the revitalizer dries, the surface has a protective, glossy finish.
5
11. The method of claim 1, wherein the surface is cleaned with a detergent.
12. The method of claim 1, wherein the surface is a vinyl substrate.
10
13. The method of claim 1, wherein the surface is a painted surface.
14. A method for revitalizing a surface, comprising the steps of:
cleaning the surface;
drying the surface;
priming the surface
applying a revitalizer to the surface;
drying the surface such that the surface has an improved appearance.
15
15. The method of claim 14, wherein, the revitalizer is a polymer solution.
20

16. The method of claim 15, wherein the revitalizer is a clear.
17. The method of claim 14, wherein the surface is a metal shutter.
- 5 18. The method of claim 14, wherein the surface is vinyl siding.
19. A method for revitalizing shutters on a house, the method comprising the steps of:
 - cleaning the shutter with a detergent;
 - drying the shutter;
 - 10 applying a revitalizer to the shutter;
 - drying the shutter so as to improve the color and of the shutter and provide a protective, glossy finish to the vinyl shutter.
20. The method of claim 19, further comprising the step of painting the shutter prior
15 to applying the revitalizer.